

Ultimate Protection UV+

Shield the wood, say goodbye to sanding. Outdoor long-lasting solutions for deckings, garden furniture, claddings and watercrafts.

The Ultimate Protection ^{UV+} systems are smart solutions to improve wood longevity. The water-based Ultimate Protection ^{UV+} range is created to ward off the attacks from the most dangerous atmospheric and biological agents, thus revolutionising the concepts of care and maintenance.

Thanks to UV+ Protection and Radical Block technologies, the Ultimate Protection UV+ oils fix the original beauty of outdoor deckings, garden furniture, claddings and watercrafts over time. Thanks also to its Self-Consuming formula, maintenance and restoration, which are normally complex and demanding procedures, finally become quick operations, as sanding is no more necessary.

Main advantages of Ultimate Protection UV+ solutions

- They are self-consuming and do not peel off
- · They don't need sanding
- They shield the wood from solar radiation
- They impede fungi, moulds and bacteria from proliferating
- · They resist to water
- · They defend the wood against salty sea mist
- They protect the wood from abrasions and foot traffic
- They nourish the wood, enhancing its original features

Ultimate Protection ^{UV+} solutions are attentive to the nature. The water-based formulas reduce VOC emissions and are odourless.



Ultimate Protection UV+

The high technology inside Renner Italia laboratories

Renner Italia laboratories have a mission: to preserve the beauty of wooden objects over time. Ultimate Protection ^{UV+} is the leading edge of the research in the field of coatings for exterior. A heap of technology attentive to the environment and focused on the latest requirements of painters and architects.



Radiation absorbers

The special UV+ Protection absorbers inside the Ultimate Protection UV+ systems stop the ultraviolet radiations on the surface, impeding them to penetrate inside the objects and to attack the lignin.

The lignin is one of the main wood components. In hardwoods, this polymer is almost 20% of the total mass; a percentage that reaches 30% in softwoods. If not sufficiently counteracted, the UV rays action transforms the lignin from a compact into a water-soluble substance. When destabilised by UV rays and in prolonged contact with rain, the lignin is inevitably eroded. In these conditions, the coating cracks and the wood turns grey. Thanks to the UV+ Protection technology, Ultimate Protection UV+ absorbs UV light, does not crack and keeps the wood alive.



An extra barrier against degradation

The sun puts the endurance of wood to the test. Especially during the long and hard exposures to the south-west. The Radical Block scavengers intervene when the persistent stress caused by the UV radiation

punches the surface, even if only minimally. It is thus a second protective barrier, prolonging the life of timber, treated with Ultimate Protection UV*.



No more sanding

The traditional coating for exterior is a film-forming product. It creates a continuous covering layer. Because of this continuity feature, over time the coating tends to crack, in smaller or bigger chinks. During the resto-

ring operation, the peeling is a negative feature of the coatings. The paint deep removal of a flooring, a piece of furniture or of a cladding is a burdensome activity. Thanks to their Self-Consuming technology, the Ultimate Protection ^{UV+} oils prevent the peeling and are self-consuming. These alkyd-based drying hydro-oils, in fact, create a homogeneous, but not film-forming, thin layer. All this to the benefit of the users who must not sand during the restoration.



HIGH-ABSORPTION HYDRO-OILS

They're suitable both for softwoods and hardwoods; they boast a special protection against UV rays; they deeply penetrate and protect the wood structure; they are self-consuming, do not peel off and allow to renew the treatment without sanding.

YS C100/XXX

hydro-oil for exterior with impregnating effect

Application: brush, dipping, flow-coating and spray

YS C110/XXX

hydro-oil for exterior with impregnating wax effect

Application: brush, dipping, flow-coating and spray

FAST-DRYING HYDRO-OILS

They're suitable both for softwoods and hardwoods; they are self-consuming, do not peel off and allow to renew the treatment without sanding.

YS M303

high-build hydro-oil for garden furniture

Application: brush and Spray

YS M305

natural effect hydro-oil for exterior

Application: brush and Spray

YS M307

hydro-oil for decking

Application: brush and Spray

YS M339

hydro-oil flat look

Application: brush and Spray



Hydro-oil with UV absorbers



Hydro-oil with free radical scavengers



Anti-peeling and self-consuming hydro-oil



Product resistant to cold liquids



Fast-drying product also in closed spaces



Product is stackable within 24 hours



Product with high penetration also in hardwood



Product with high-build



Product with high resistance to foot traffic



Biocide primer



Product without hydrocarbons derivatives



Product guaranteeing valuable finishing effects and extreme resistance to UV rays



Oil with high friction coefficient both on wet and dry surfaces. This product was tested by Catas

Woods

Ultimate Protection UV+ systems are suitable for every kind of wood.

This catalogue is based on the two biggest families of woods, that are mainly used in exterior, to choose the most suitable system for your specific needs.







Ultimate Protection UV+ Index of the systems

08	new woods
08	deckings
09	garden furniture
11	silky effect outdoor claddings
13	nautical field
14	thermo treated woods and claddings Shou Sugi Ban
16	woods to be restored
16	deckings
17	garden furniture
18	silky effect outdoor claddings
19	nautical field
20	woods rich in extractives in light-colour and semi-transparent
	pigmented systems
20	hydro-oils coloration

DECKINGS

 $poolsides,\, deckings,\, terraces,\, walkways, jetties,\, gangways\,\, of\,\, beach\,\, resorts,\, restaurants,\, hotels$

Hardwood / Resistant	COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
	1	YS C100/NTR - DARK COLOUR	Brush / Dipping / Flow-coating
	2	YS M307 - LIGHT COLOUR (option: add 5% of YC M404 hardener)	Brush / Spray
	S PR	MARLE SOLITION OF THE MODE SLIP OF THE PROPERTY OF THE PROPERT	STACK PSORRY HT

Hardwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS C100/NTR - DARK COLOUR Brush / Dipping / Flow-coating
	2	YS M307 - LIGHT COLOUR Brush / Spray
	3	YS M307 - LIGHT COLOUR (option: add 5% of YC M404 hardener) Brush / Spray
	WABLE SOLL ROM	CATAS CONSTRUCTION OF THE PROPERTY OF THE PROP

Softwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS M307 - COLOURED Brush / Spray
	2	YS M307 - COLOURED (option: add 5% of YC M404 hardener) Brush / Spray
	S P P P	CATAS CONTROL

GARDEN FURNITURE

 $tables,\,chairs,\,benches,\,sunbeds,\,shelves$

Handman al	/ Danistant
Hardwood	/ Kesistant

COAT WATER-BASED PROTECTIVE SYSTEM 1 YS C100/--NTR - DARK COLOUR 2 YS M303 (YS M305, YS M339) - LIGHT COLOUR (option: add 5% of YC M404 hardener) Brush / Spray

























Hardwood / Durability Plus

	N
	pping / Flow-coating
	ray
	ray
••	























Softwood / Durability Plus

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
	YS M303 (YS M305, YS M339) - COLOURED	Brush / Spray
	YS M303 (YS M305, YS M339) - COLOURED (option: add 5% of YC M404 hardener)	Brush / Spray























SILKY EFFECT OUTDOOR CLADDINGS

living units, cottages, gazebos, pergolas, bathing huts, fences

Hardwood / Resistant	COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
	1	YS C100/NTR - DARK COLOUR	Brush / Dipping / Flow-coating
	2	YS M303 (YS M305, YS M339) - LIGHT COLOUR	Brush / Spray
	S I S	AND LE SOLAR TO MOILS AND THE POLICE OF THE	A STACK TO S

Hardwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS C100/NTR - DARK COLOUR Brush / Dipping / Flow-coating
	2	YS M303 (YS M305, YS M339) - LIGHT COLOUR Brush / Spray
	3	YS M303 (YS M305, YS M339) - LIGHT COLOUR Brush / Spray
	HABLE SOLD OF	CATAS THE PRODUCT OF

Softwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS M303 (YS M305, YS M339) - COLOURED Brush / Spray
	2	YS M303 (YS M305, YS M339) - COLOURED Brush / Spray
		WASHE SOLITION COLORS THE PROJECTION COLORS TO PROJECT TO THE PROJ

NAUTICAL FIELD

decks, chairs, furniture

Hardwood / Resistant	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION	
	1	YS C100/NTR - DARK COLOUR Brush / Dipping / Flow-coating	
	2	YS M303 (YS M305, YS M339) - LIGHT COLOUR (option: add 5% of YC M404 hardener) Brush / Spray	
	Š Š	AND CALLS OF THE POLICE OF THE	

Hardwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS C100/NTR - DARK COLOUR Brush / Dipping / Flow-coating
	2	YS M303 (YS M305, YS M339) - LIGHT COLOUR Brush / Spray
	3	YS M303 (YS M305, YS M339) - LIGHT COLOUR (option: add 5% of YC M404 hardener) Brush / Spray
	A SOLUTION OF THE SOLUTION OF	NOISELP CATAS (15 FOUTER) (15

Softwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM APPLICATION
	1	YS M303 (YS M305, YS M339) - COLOURED Brush / Spray
	2	YS M303 (YS M305, YS M339) - COLOURED (option: add 5% of YC M404 hardener) Brush / Spray
	S PR	THE SOLIT OF THE S

^{*} It is recommended to use YS M307 for deckings thanks to its anti-slip properties

THERMO-TREATED WOODS AND CLADDING SHOU SUGI BAN

Softwood and hardwood / Resistant	COAT WATER-BASED PROTECTI	E SYSTEM	APPLICATION
	1 YS C110 - COLOURED		Brush / Dipping / Flow-coating/ Spray
	2 YS C110 - COLOURED		Brush / Dipping / Flow-coating/ Spray
	3 YS C110 - COLOURED		Brush / Dipping / Flow-coating/ Spray
	AND THE SQUARE S	+ PRIOTICE TOWN STORY STORY	

Softwood and hardwood / Durability Plus	COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
	1	YS C100/NTR - COLOURED	Brush / Dipping / Flow-coating
	2	YS C100/NTR - COLOURED	Brush / Dipping / Flow-coating
	3	YS M30X - COLOURED (option: add 5% of YC M404 hardener)	Brush / Spray

























DECKINGS

 $poolsides,\, deckings,\, terraces,\, walkways, jetties,\, gangways\,\, of\,\, beach\,\, resorts,\, restaurants,\, hotels$

For all kind of woods - Refresh / Maintenance

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
0	RR1050 Neutral detergent	Spray and cloth
1	YS M307 - COLOURED (option: add 5% of YC M404 hardener)	Brush / Spray





















For all kind of woods - Renewer / Restoration

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
1	YS C100/NTR - DARK COLOUR	Brush / Dipping
2	YS M307 - LIGHT COLOUR	Brush / Spray
3	YS M307 - LIGHT COLOUR (option: add 5% of YC M404 hardener)	Brush / Spray

























GARDEN FURNITURE

 $tables,\,chairs,\,benches,\,sunbeds,\,shelves$

For all kind of woods - Refresh / Maintenance

COA	ιT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
0		RR1050 Neutral detergent	Spray and cloth
1		YS M303 (YS M305, YS M339) - COLOURED (option: add 5% of YC M404 hardener)	Brush / Spray





















For all kind of woods - Renewer / Restoration

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
1	YS C100/NTR - DARK COLOUR	Brush / Dipping
2	YS M303 (YS M305, YS M339) - LIGHT COLOUR	Brush / Spray
3	YS M303 (YS M305, YS M339) - LIGHT COLOUR (option: add 5% of YC M404 hardener)	Brush / Spray

























SILKY EFFECT OUTDOOR CLADDINGS

 $living\ units,\ cottages,\ gazebos,\ pergolas,\ bathing\ huts,fences$

For all kind of woods - Refresh / Maintenance

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
0	RR1050 Neutral detergent	Spray and cloth
1	YS M303 (YS M305, YS M339) - COLOURED	Brush / Spray



















For all kind of woods - Renewer	/ Restoration
FOI all Killa OI WOOGS - Kellewei	/ NESLUIALIUII

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
1	YS C100/NTR - DARK COLOUR	Brush / Dipping
2	YS M303 (YS M305, YS M339) - LIGHT COLOUR	Brush / Spray
3	YS M303 (YS M305, YS M339) - LIGHT COLOUR	Brush / Spray























NAUTICAL FIELD

 $decks,\,chairs,furniture$

For	all kind	of woods ·	- Refresh	/ Maintenance
-----	----------	------------	-----------	---------------

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
0	RR1050 Neutral detergent	Spray and cloth
1	YS M303 (YS M305, YS M339) - COLOURED (option: add 5% of YC M404 hardener)	Brush / Spray





















Hardwood / Durability Plus

COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
1	YS C100/NTR - DARK COLOUR	Brush / Dipping
2	YS M303 (YS M305, YS M339) - LIGHT COLOUR	Brush / Spray
3	YS M303 (YS M305, YS M339) - LIGHT COLOUR (option: add 5% of YC M404 hardener)	Brush / Spray

























COAT	WATER-BASED PROTECTIVE SYSTEM	APPLICATION
1	YI M007*	Brush / Spray
2	YS M30X - COLOURED	Brush / Spray
3	YS M30X - COLOURED	Brush / Spray

^{*}The application of two coats of YI M007 can be necessary for woods particularly rich in extractives

AESTHETIC EFFECT AND PROTECTION

HYDRO-OILS COLORATION

The coloration is fundamental to further increase the durability of Ultimate Protection ^{UV+} hydro-oils. Pigmented pastes and iron oxides reinforce and extend the action of the UV shield, already contained in the products.

COLORATION	PRODUCT	NOTES
PIGMENTED	EY M690/CXX Pigmented paste	By means of Color System tinting system of Renner Italia it is possible to reproduce all the shades of RAL, NCS, CS and Chroma ranges, contained in the colour charts for exterior
TINTED	EY M470/TXX Semi-transparent iron oxide	The use of 50-60% of pastes, contained in the wood stains formulas, allows to obtain the same shade with hydro-oils

^{*} Minimum content of color 1%; the transparent product does not ensure durability outdoors





Via Ronchi Inferiore, 34 - 40061 Minerbio (BO) Italia T. +39 051 6618 211 F. +39 051 6606 312 www.renneritalia.com - info@renneritalia.com

651 Michael Wylie Drive - Charlotte Zip Code 28217 - North Carolina T. +1 704 527 9261 - info@rennerwoodcoatings.com